

# rosco

## SAFETY DATA SHEET

Revision Date: 13-Oct-2015

Revision Number: 2

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** ROSCO DEEP COLORS - BURNT SIENNA  
**Product Code** RF5556  
**Alternate Product Code** XY5308  
**Product Class** WATER THINNED PAINT  
**Color** Red brown  
**Recommended use** Paint  
**Restrictions on use** No information available

**Rosco Laboratories Inc.**  
52 Harbor View Avenue  
Stamford, CT 06902, USA  
Phone: (203)-708-8900  
www.rosco.com

**Emergency Telephone Number(s)**

CHEMTREC (US): 800-424-9300  
CHEMTREC (outside US): (703)-527-3887

### 2. HAZARDS IDENTIFICATION

**Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|  |             |
|--|-------------|
| Carcinogenicity                                    | Category 1A |
| Specific target organ toxicity (repeated exposure) | Category 1  |

**Label elements**

**Danger**

**Hazard statements**

May cause cancer  
Causes damage to organs through prolonged or repeated exposure



**Appearance** liquid

**Odor** little or no odor

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Do not breathe dust/fume/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product

**Precautionary Statements - Response**

If exposed or concerned get medical attention

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not Applicable

**Other information**

No information available

### 3. COMPOSITION INFORMATION ON COMPONENTS

| Chemical Name                      | CAS-No     | Weight % (max) |
|------------------------------------|------------|----------------|
| Iron oxide                         | 1309-37-1  | 10             |
| Cristobalite                       | 14464-46-1 | 10             |
| Diatomaceous silica, flux-calcined | 68855-54-9 | 5              |
| Talc                               | 14807-96-6 | 5              |
| Barium sulfate                     | 7727-43-7  | 5              |
| Magnesium carbonate                | 546-93-0   | 5              |
| Silica, crystalline                | 14808-60-7 | 1              |

### 4. FIRST AID MEASURES

|  |   |
|--|---|
| <b>General Advice</b>                  | No hazards which require special first aid measures.  |
| <b>Eye Contact</b>                     | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.          |
| <b>Skin Contact</b>                    | Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. |
| <b>Inhalation</b>                      | Move to fresh air. If symptoms persist, call a physician.                                       |
| <b>Ingestion</b>                       | Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.  |
| <b>Most Important Symptoms/Effects</b> | None known.   |
| <b>Notes To Physician</b>              | Treat symptomatically.  |

## 5. FIRE-FIGHTING MEASURES

|  |  |
|--|--|
| <b>Suitable Extinguishing Media</b>                          | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                |
| <b>Protective Equipment And Precautions For Firefighters</b> | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |
| <b>Specific Hazards Arising From The Chemical</b>            | Closed containers may rupture if exposed to fire or extreme heat.  |
| <b>Sensitivity To Mechanical Impact</b>                      | No   |
| <b>Sensitivity To Static Discharge</b>                       | No   |
| <b>Flash Point Data</b>                                      |  |
| Flash Point (°F)   | Not applicable   |
| Flash Point (°C)   | Not applicable   |
| Flash Point Method   | Not applicable   |
| <b>Flammability Limits In Air</b>                            |  |
| Lower Explosion Limit  | Not applicable   |
| Upper Explosion Limit  | Not applicable   |

**NFPA**    **Health:** 1        **Flammability:** 0        **Instability:** 0        **Special:** Not Applicable

### NFPA Legend

- 0 - Not Hazardous
- 1 - Slightly
- 2 - Moderate
- 3 - High
- 4 - Severe

*The ratings assigned are only suggested ratings, the contractor/employer has ultimate responsibilities for NFPA ratings where this system is used.*

*Additional information regarding the NFPA rating system is available from the National Fire Protection Agency (NFPA) at [www.nfpa.org](http://www.nfpa.org).*

## 6. ACCIDENTAL RELEASE MEASURES

|                                  |   |
|----------------------------------|---|
| <b>Personal Precautions</b>      | Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.                          |
| <b>Other Information</b>         | Prevent further leakage or spillage if safe to do so.   |
| <b>Environmental Precautions</b> | See Section 12 for additional Ecological Information.   |
| <b>Methods For Clean-Up</b>      | Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. |

## 7. HANDLING AND STORAGE

|                               |  |
|-------------------------------|--|
| <b>Handling</b>               | Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. |
| <b>Storage</b>                | Keep container tightly closed. Keep out of the reach of children.  |
| <b>Incompatible Materials</b> | No information available   |

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Limits

| Chemical Name       | ACGIH                         | OSHA   |
|---------------------|-------------------------------|--|
| Iron oxide          | 5 mg/m <sup>3</sup> - TWA     | 10 mg/m <sup>3</sup> - TWA   |
| Cristobalite        | 0.025 mg/m <sup>3</sup> - TWA | respirable - (1/2)(10)/(%SiO <sub>2</sub> + 2)<br>mg/m <sup>3</sup> TWA<br>respirable - (1/2)(250)/(%SiO <sub>2</sub> + 5)<br>mppcf TWA<br>total dust - (1/2)(30)/(%SiO <sub>2</sub> + 2)<br>mg/m <sup>3</sup> TWA |
| Talc                | 2 mg/m <sup>3</sup> - TWA     | 20 mppcf - TWA   |
| Barium sulfate      | 10 mg/m <sup>3</sup> - TWA    | 15 mg/m <sup>3</sup> - TWA   |
| Magnesium carbonate | N/E                           | 15 mg/m <sup>3</sup> - TWA total<br>5 mg/m <sup>3</sup> - TWA  |
| Silica, crystalline | 0.025 mg/m <sup>3</sup> - TWA | respirable - (10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup><br>TWA<br>respirable - (250)/(%SiO <sub>2</sub> + 5) mppcf<br>TWA<br>total dust - (30)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup><br>TWA                |

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists Exposure Limits

OSHA - Occupational Safety & Health Administration Exposure Limits

N/E - Not Established

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

### Personal Protective Equipment

**Eye/Face Protection**

Safety glasses with side-shields.

**Skin Protection**

Protective gloves and impervious clothing.

**Respiratory Protection**

In case of insufficient ventilation wear suitable respiratory equipment.

**Hygiene Measures** Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                          |                          |
|--------------------------|--------------------------|
| <b>Appearance</b>        | liquid                   |
| <b>Odor</b>              | little or no odor        |
| <b>Odor Threshold</b>    | No information available |
| <b>Density (lbs/gal)</b> | 10.2 - 10.5              |
| <b>Specific Gravity</b>  | 1.22 - 1.26              |
| <b>pH</b>                | No information available |
| <b>Viscosity (cps)</b>   | No information available |

|  |                          |
|--|--------------------------|
| <b>Solubility</b>                              | No information available |
| <b>Water Solubility</b>                        | No information available |
| <b>Evaporation Rate</b>                        | No information available |
| <b>Vapor Pressure</b>                          | No information available |
| <b>Vapor Density</b>                           | No information available |
| <b>Wt. % Solids</b>                            | 35 - 45                  |
| <b>Vol. % Solids</b>                           | 20 - 30                  |
| <b>Wt. % Volatiles</b>                         | 55 - 65                  |
| <b>Vol. % Volatiles</b>                        | 70 - 80                  |
| <b>VOC Regulatory Limit (g/L)</b>              | < 50                     |
| <b>Boiling Point (°F)</b>                      | 212                      |
| <b>Boiling Point (°C)</b>                      | 100                      |
| <b>Freezing Point (°F)</b>                     | 32                       |
| <b>Freezing Point (°C)</b>                     | 0                        |
| <b>Flash Point (°F)</b>                        | Not applicable           |
| <b>Flash Point (°C)</b>                        | Not applicable           |
| <b>Flash Point Method</b>                      | Not applicable           |
| <b>Flammability (solid, gas)</b>               | Not applicable           |
| <b>Upper Explosion Limit</b>                   | Not applicable           |
| <b>Lower Explosion Limit</b>                   | Not applicable           |
| <b>Autoignition Temperature (°F)</b>           | No information available |
| <b>Autoignition Temperature (°C)</b>           | No information available |
| <b>Decomposition Temperature (°F)</b>          | No information available |
| <b>Decomposition Temperature (°C)</b>          | No information available |
| <b>Partition Coefficient (n-octanol/water)</b> | No information available |

## 10. STABILITY AND REACTIVITY

|   |  |
|---|--|
| <b>Reactivity</b>                         | Not Applicable                           |
| <b>Chemical Stability</b>                 | Stable under normal conditions.          |
| <b>Conditions To Avoid</b>                | Prevent from freezing.                   |
| <b>Incompatible Materials</b>             | No materials to be especially mentioned. |
| <b>Hazardous Decomposition Products</b>   | None under normal use.                   |
| <b>Possibility Of Hazardous Reactions</b> | None under normal conditions of use.     |

## 11. TOXICOLOGICAL INFORMATION

### Product Information

#### Information on likely routes of exposure

**Principal Routes of Exposure** Eye contact, skin contact and inhalation.

#### Acute Toxicity

**Product Information** No information available

#### Information on toxicological effects

**Symptoms** No information available

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Eye contact** May cause slight irritation.  
**Skin contact** Substance may cause slight skin irritation. Prolonged or repeated contact may dry skin and cause irritation.  
**Inhalation** May cause irritation of respiratory tract.  
**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.  
**Sensitization:** No information available  
**Neurological Effects** No information available.  
**Mutagenic Effects** No information available.  
**Reproductive Effects** No information available.  
**Developmental Effects** No information available.  
**Target Organ Effects** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** Causes damage to organs through prolonged or repeated exposure if inhaled. Contains: Crystalline Silica which has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.  
**Other adverse effects** No information available.  
**Aspiration Hazard** No information available

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 104131 mg/kg  
**ATEmix (inhalation-dust/mist)** 82.3 mg/L

**Component**

**Acute Toxicity**

Iron oxide  
 LD50 Oral: > 5000 mg/kg (Rat) vendor data  
Barium sulfate  
 LD50 Oral: > 5,000 g/kg (Rat) vendor data  
Silica, crystalline  
 LD50 Oral: 500 mg/kg (Rat) vendor data

**Carcinogenicity**

*The information below indicates whether each agency has listed any ingredient as a carcinogen.:*

| Chemical Name       | IARC                 | NTP                    | OSHA Carcinogen |
|---------------------|----------------------|------------------------|-----------------|
| Cristobalite        | 1 - Human Carcinogen |                        | Listed          |
| Silica, crystalline | 1 - Human Carcinogen | Known Human Carcinogen | Listed          |

• Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.

**Legend**

IARC - International Agency for Research on Cancer

NTP - National Toxicity Program

OSHA - Occupational Safety &amp; Health Administration

**12. ECOLOGICAL INFORMATION****Ecotoxicity Effects**

The environmental impact of this product has not been fully investigated.

**Product Information****Acute Toxicity to Fish**

No information available

**Acute Toxicity to Aquatic Invertebrates**

No information available

**Acute Toxicity to Aquatic Plants**

No information available

**Persistence / Degradability**

No information available.

**Bioaccumulation / Accumulation**

No information available.

**Mobility in Environmental Media**

No information available.

**Ozone**

No information available

**Component****Acute Toxicity to Fish**

No information available

**Acute Toxicity to Aquatic Invertebrates**

No information available

**Acute Toxicity to Aquatic Plants**

No information available

**13. DISPOSAL CONSIDERATIONS****Waste Disposal Method**

Dispose of in accordance with federal, state, provincial, and local regulations. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal options.

**14. TRANSPORT INFORMATION**

DOT

Not regulated

ICAO / IATA Not regulated

IMDG / IMO Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

TSCA: United States Yes - All components are listed or exempt.

DSL: Canada Yes - All components are listed or exempt.

### Federal Regulations

#### SARA 311/312 hazardous categorization

|                                   |     |
|-----------------------------------|-----|
| Acute Health Hazard               | No  |
| Chronic Health Hazard             | Yes |
| Fire Hazard                       | No  |
| Sudden Release of Pressure Hazard | No  |
| Reactive Hazard                   | No  |

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| <u>Chemical Name</u> | <u>CAS-No</u> | <u>Weight % (max)</u> | <u>CERCLA/SARA 313<br/>(de minimis concentration)</u> |
|----------------------|---------------|-----------------------|---|
| Barium sulfate       | 7727-43-7     | 5                     | 1.0   |

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

None

### State Regulations

#### California Proposition 65

*This product may contain small amounts of materials known to the state of California to cause cancer or reproductive harm.*

#### State Right-to-Know

| <u>Chemical Name</u>               | <u>Massachusetts</u> | <u>New Jersey</u> | <u>Pennsylvania</u> |
|------------------------------------|----------------------|-------------------|---------------------|
| Iron oxide                         | X                    | X                 | X                   |
| Cristobalite                       | X                    | X                 | X                   |
| Diatomaceous silica, flux-calcined |                      |                   | X                   |
| Talc                               | X                    | X                 | X                   |
| Barium sulfate                     | X                    | X                 | X                   |
| Magnesium carbonate                | X                    | X                 |                     |
| Silica, crystalline                | X                    | X                 | X                   |



