



CERTIFICATE OF CONFORMITY

Date: 4/19/2018

Product: OPTI-SCULPT™-10°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at www.rosco.com

Color Specifications

As per attached Specification Sheet
Color Tolerance: $\Delta E =$ N/A

Material Specifications

General Description: Extruded Polycarbonate Film
Substrate: PC (Polycarbonate)
Thickness: 3.0 mil (.003" or 76.2 micron)
Manufactured in: U.S.A.

Available Sizes:

- 21 in. x 24 in. sheets (53 x 60cm)
 - ✓ 20 in. x 24 in. sheets (50cm x 60cm)
 - ✓ 20 in. x 40 in sheets (50cm x 100cm)
 - 24 in. x 25 ft. rolls (60cm x 7.62m)
 - 48 in. x 25 ft. rolls (121cm x 7.62m)
 - 60 in. x 20 ft. rolls (152.4cm x 6.10m)
 - 13.5 in. Diameter Glass (34.3cm) - Cut to order
- Consult Rosco

Certified By: Product Division
Rosco Laboratories, Inc.
info@rosco.com



CERTIFICATE OF CONFORMITY

Date: 4/19/2018

Product: OPTI-SCULPT™-10° x 20°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at www.rosco.com

Color Specifications

As per attached Specification Sheet
Color Tolerance: $\Delta E =$ N/A

Material Specifications

General Description: Extruded Polycarbonate Film
Substrate: PC (Polycarbonate)
Thickness: 3.0 mil (.003" or 76.2 micron)
Manufactured in: U.S.A.

Available Sizes:

- 21 in. x 24 in. sheets (53 x 60cm)
 - ✓ 20 in. x 24 in. sheets (50cm x 60cm)
 - ✓ 20 in. x 40 in sheets (50cm x 100cm)
 - 24 in. x 25 ft. rolls (60cm x 7.62m)
 - 48 in. x 25 ft. rolls (121cm x 7.62m)
 - 60 in. x 20 ft. rolls (152.4cm x 6.10m)
 - 13.5 in. Diameter Glass (34.3cm) - Cut to order
- Consult Rosco

Certified By: Product Division
Rosco Laboratories, Inc.
info@rosco.com



CERTIFICATE OF CONFORMITY

Date: 4/19/2018

Product: OPTI-SCULPT™-10° x 30°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at www.rosco.com

Color Specifications

As per attached Specification Sheet
Color Tolerance: $\Delta E =$ N/A

Material Specifications

General Description: Extruded Polycarbonate Film
Substrate: PC (Polycarbonate)
Thickness: 3.0 mil (.003" or 76.2 micron)
Manufactured in: U.S.A.

Available Sizes:

- 21 in. x 24 in. sheets (53 x 60cm)
 - ✓ 20 in. x 24 in. sheets (50cm x 60cm)
 - ✓ 20 in. x 40 in sheets (50cm x 100cm)
 - 24 in. x 25 ft. rolls (60cm x 7.62m)
 - 48 in. x 25 ft. rolls (121cm x 7.62m)
 - 60 in. x 20 ft. rolls (152.4cm x 6.10m)
 - 13.5 in. Diameter Glass (34.3cm) - Cut to order
- Consult Rosco

Certified By: Product Division
Rosco Laboratories, Inc.
info@rosco.com



CERTIFICATE OF CONFORMITY

Date: 4/19/2018

Product: OPTI-SCULPT™-10° x 60°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at www.rosco.com

Color Specifications

As per attached Specification Sheet
Color Tolerance: $\Delta E =$ N/A

Material Specifications

General Description: Extruded Polycarbonate Film
Substrate: PC (Polycarbonate)
Thickness: 3.0 mil (.003" or 76.2 micron)
Manufactured in: U.S.A.

Available Sizes:

- 21 in. x 24 in. sheets (53 x 60cm)
 - ✓ 20 in. x 24 in. sheets (50cm x 60cm)
 - ✓ 20 in. x 40 in sheets (50cm x 100cm)
 - 24 in. x 25 ft. rolls (60cm x 7.62m)
 - 48 in. x 25 ft. rolls (121cm x 7.62m)
 - 60 in. x 20 ft. rolls (152.4cm x 6.10m)
 - 13.5 in. Diameter Glass (34.3cm) - Cut to order
- Consult Rosco

Certified By: Product Division
Rosco Laboratories, Inc.
info@rosco.com



CERTIFICATE OF CONFORMITY

Date: 4/19/2018

Product: OPTI-SCULPT™-15° x 35°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at www.rosco.com

Color Specifications

As per attached Specification Sheet
Color Tolerance: $\Delta E =$ N/A

Material Specifications

General Description: Extruded Polycarbonate Film
Substrate: PC (Polycarbonate)
Thickness: 3.0 mil (.003" or 76.2 micron)
Manufactured in: U.S.A.

Available Sizes:

- 21 in. x 24 in. sheets (53 x 60cm)
 - ✓ 20 in. x 24 in. sheets (50cm x 60cm)
 - ✓ 20 in. x 40 in sheets (50cm x 100cm)
 - 24 in. x 25 ft. rolls (60cm x 7.62m)
 - 48 in. x 25 ft. rolls (121cm x 7.62m)
 - 60 in. x 20 ft. rolls (152.4cm x 6.10m)
 - 13.5 in. Diameter Glass (34.3cm) - Cut to order
- Consult Rosco

Certified By: Product Division
Rosco Laboratories, Inc.
info@rosco.com



CERTIFICATE OF CONFORMITY

Date: 4/19/2018

Product: OPTI-SCULPT™-40°/60° Reversible

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at www.rosco.com

Color Specifications

As per attached Specification Sheet
Color Tolerance: $\Delta E =$ N/A

Material Specifications

General Description: Extruded Polycarbonate Film
Substrate: PC (Polycarbonate)
Thickness: 3.0 mil (.003" or 76.2 micron)
Manufactured in: U.S.A.

Available Sizes:

- 21 in. x 24 in. sheets (53 x 60cm)
 - ✓ 20 in. x 24 in. sheets (50cm x 60cm)
 - ✓ 20 in. x 40 in sheets (50cm x 100cm)
 - 24 in. x 25 ft. rolls (60cm x 7.62m)
 - 48 in. x 25 ft. rolls (121cm x 7.62m)
 - 60 in. x 20 ft. rolls (152.4cm x 6.10m)
 - 13.5 in. Diameter Glass (34.3cm) - Cut to order
- Consult Rosco

Certified By: Product Division
Rosco Laboratories, Inc.
info@rosco.com