

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 20-Jul-2021 Revision Date: 20-Jul-2021 Revision Number: 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ROSCO VIVID FX BRIGHT WHITE

Product Code RF6250 Alternate Product Code XY6502

Product Class Water thinned paint

**Color** White **Recommended use** Paint

Restrictions on use No information available

Roscolab Limited Blanchard Works

Kangley Bridge Road Sydenham

London SE26 5AQ

Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT)

Email: info.emea@rosco.com

#### Rosco Laboratories Inc.

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 www.rosco.com

**Emergency Telephone** 

CHEMTREC: +1-703-741-5970

CHEMTREC (United Kingdom Local Number): +44-870-8200418

# Section 2: HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Chronic aquatic toxicity Category 3 - (H412)

#### 2.2. Label elements

## Product Identifier Hazard statements

H412 - Harmful to aquatic life with long lasting effects

Revision Date: 20-Jul-2021

EUH208 - Contains (1,2-Benzisothiazolin-3-one, 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)). May produce an allergic reaction

# Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other hazards

General Hazards No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Titanium dioxide	236-675-5	13463-67-7	>=5 - <10	Not available	01-2119489379-17-01 68
Propylene glycol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23-02 24
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	Acute Tox 4 (H302) Acute Tox 2 (H330) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	Not available
5-Chloro-2-methyl-3(2H)-isothi azolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)	-	55965-84-9	>=0.001 - <0.005	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H330) Skin Corr. 1C (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

# **Section 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

Description of first aid measures

General Advice No hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Revision Date: 20-Jul-2021

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment

<u>needed</u>

Notes To Physician Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity to static discharge No

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

suit.

# Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

RF6250 - ROSCO VIVID FX BRIGHT WHITE

**Environmental precautions** 

Prevent spreading of vapors through sewers, ventilation

Revision Date: 20-Jul-2021

systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

# Section 7: HANDLING AND STORAGE

# 7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Chemical name	European Union	Belgium	Bulga	ria	Cy	/prus		France	Ireland
Titanium dioxide	-	TWA: 10 mg/m <sup>2</sup>				-	TWA	A: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7			TWA: 1.0	mg/m <sup>3</sup>					TWA: 4 mg/m <sup>3</sup>
									STEL: 30 mg/m <sup>3</sup>
									STEL: 12 mg/m <sup>3</sup>
Propylene glycol	-	-	-			-		-	TWA: 10 mg/m <sup>3</sup>
57-55-6									TWA: 150 ppm
									TWA: 470 mg/m <sup>3</sup>
									STEL: 1410 mg/m <sup>3</sup>
									STEL: 30 mg/m <sup>3</sup>
									STEL: 450 ppm
Chemical name	Germany	Greece	Hung	ary	Ice	eland		Italy	Latvia
Titanium dioxide 13463-67-7	-	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>			6 mg/	m³ TWA		-	TWA: 10 mg/m <sup>3</sup>
Propylene glycol	-	-	-			-		-	TWA: 7 mg/m <sup>3</sup>
57-55-6									Ç
Chemical name	Lithuania	Netherlands	Poland	Rom	ania	Spain		Sweden	United Kingdom

Titanium dioxide	TWA: 5 mg/m <sup>3</sup>	-	STEL: 30 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TLV: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7			TWA: 10 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>	_		TWA: 4 mg/m <sup>3</sup>
				_			STEL: 30 mg/m <sup>3</sup>
							STEL: 12 mg/m <sup>3</sup>
Propylene glycol	TWA: 7 mg/m <sup>3</sup>	-	TWA: 100 mg/m <sup>3</sup>	=	-	-	TWA: 150 ppm
57-55-6							TWA: 474 mg/m <sup>3</sup>
							TWA: 10 mg/m <sup>3</sup>
							STEL: 450 ppm
							STEL: 1422
							mg/m³
							STEL: 30 mg/m <sup>3</sup>

#### 8.2. Exposure controls

Occupational exposure controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

**Eye Protection** Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 20-Jul-2021

thoroughly after handling.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Appearance liquid

Odor little or no odor

Odor Threshold No information available

Property	Values	Remarks/ Method
Density (g/L)	1072 - 1084	None known
Relative Density	1.07 - 1.09	
рН	No information available	None known
Viscosity (cps)	No information available	None known
Solubility(ies)	No information available	None known
Water solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor pressure	No information available	None known
Vapor density	No information available	None known
Wt. % Solids	20 - 30	None known
Vol. % Solids	20 - 30	None known
Wt. % Volatiles	70 - 80	None known
Vol. % Volatiles	70 - 80	None known
Boiling Point (°C)	100	None known
Freezing Point (°C)	0	None known

Revision Date: 20-Jul-2021

No information available Melting Point (°C) None known **Pour Point** No information available None known Flash Point (°C) Not applicable None known Flammability (solid, gas) No information available None known **Upper flammability limit:** No information available None known Lower flammability limit: No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known Partition coefficient No information available None known No information available None known **Explosive properties Oxidizing Properties** No information available None known

# Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products

None under normal conditions of use.

# Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

#### **Product Information**

**Inhalation** There is no data available for this product.

**Eye contact**There is no data available for this product.

**Skin contact** Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

**Ingestion** There is no data available for this product.

**Acute Toxicity** 

Revision Date: 20-Jul-2021

## Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg ( Rabbit )	
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)		
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	= 53 mg/kg(Rat)		

**Skin corrosion/irritation**No information available.

**Eye damage/irritation**No information available.

**Sensitization** May cause an allergic skin reaction.

Mutagenic Effects No information available.

#### Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes:

#### Legend

IARC - International Agency for Research on Cancer

Reproductive Effects No information available.

**Developmental Effects**No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Neurological Effects No information available.

Target organ effects No information available.

**Symptoms** No information available.

Aspiration Hazard No information available.

# Section 12: ECOLOGICAL INFORMATION

<sup>&</sup>quot;No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

## 12.1. Toxicity

Harmful to aquatic life with long lasting effects

Chemical name	Algae/aquatic plants	Fish	Crustacea
Propylene glycol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)
		LC50 = 710 mg/L Pimephales	
		promelas (96 h)	
		LC50 = 51600 mg/L Oncorhynchus	
		mykiss (96 h)	
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	

# 12.2. Persistence and degradability

Persistence / Degradability

No information available.

Revision Date: 20-Jul-2021

12.3. Bioaccumulative potential

Bioaccumulation

No information available.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	

## 12.4. Mobility in soil

Mobility in soil

No information available.

**Mobility in Environmental Media** 

No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment
13403-07-7	does not apply
Propylene glycol	The substance is not PBT / vPvB PBT assessment
57-55-6	does not apply
1,2-Benzisothiazolin-3-one	The substance is not PBT / vPvB
2634-33-5	
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone	The substance is not PBT / vPvB
(3:1)	
55965-84-9	

## 12.6. Other adverse effects

Other adverse effects

No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

## 13.1. Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 20-Jul-2021

# Section 14: TRANSPORT INFORMATION

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

<u>IATA</u> Not regulated

# Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Propylene glycol	RG 84
57-55-6	
1,2-Benzisothiazolin-3-one	RG 65
2634-33-5	

## **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### International Inventories

AICS No - Not all of the components are listed.

DSL: Canada
Yes - All components are listed or exempt.
No - Not all of the components are listed.

ENCS
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.

KECL (Annex 1)
 PICCS
 TSCA: United States
 No - Not all of the components are listed.
 Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

#### 15.2. Chemical safety assessment

**Chemical Safety Report** 

No information available

Revision Date: 20-Jul-2021

# Section 16: OTHER INFORMATION

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900

Issuing Date 20-Jul-2021

Revision Date: 20-Jul-2021

Revision Summary Initial Release

#### Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**