

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 11-Sep-2020 Revision Date: 20-Jul-2021 Revision Number: 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ROSCO VIVID FX HOT PINK

Product Code RF6255 (3000264, 3000175, 3000985)

Alternate Product Code XY6599

Product Class Water thinned paint

ColorPinkRecommended usePaint

Restrictions on use No information available

Roscolab Limited

Blanchard Works Kangley Bridge Road

Sydenham

London SE26 5AQ

Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT)

Email: info.emea@rosco.com

Rosco Laboratories Inc.

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900

www.rosco.com

Emergency Telephone

CHEMTREC: +1-703-741-5970

CHEMTREC (United Kingdom Local Number): +44-870-8200418

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitization Category 1A - (H317)

2.2. Label elements

Product Identifier

Contains 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)

Revision Date: 20-Jul-2021



Signal word Warning

Hazard statements

H317 - May cause an allergic skin reaction

EUH208 - Contains (1,2-Benzisothiazolin-3-one). May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves

P321 - Specific treatment (see supplemental first aid instructions on this label)

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

General Hazards No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Limestone	215-279-6	1317-65-3	>=5 - <10	Not available	Not available
Propylene glycol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23-02 24
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	Acute Tox 4 (H302) Acute Tox 2 (H330) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	Not available
5-Chloro-2-methyl-3(2H)-isothi azolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)	-	55965-84-9	>=0.001 - <0.005	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H330) Skin Corr. 1C (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1	Not available

FX HOT PINK

		(H400)	
		Aquatic Chronic 1	
		· (H410)	

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General AdviceNo hazards which require special first aid measures.

Eye ContactRinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Revision Date: 20-Jul-2021

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment

needed

Notes To Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity to static discharge No

Sensitivity to mechanical impact No

FX HOT PINK

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapors through sewers, ventilation

systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 20-Jul-2021

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

FX HOT PINK

8.1. Control parameters

Chemical name	European Unior	n Belgium)	Bulga	ria	Cy	prus	France	Ireland
Limestone	-	TWA: 10 mg	g/m³	TWA: 1.0 fi				-	TWA: 10 mg/m ³
1317-65-3				TWA: 10	mg/m³				TWA: 4 mg/m ³
									STEL: 30 mg/m ³
									STEL: 12 mg/m ³
Propylene glycol	-	-		-			-	-	TWA: 10 mg/m ³
57-55-6									TWA: 150 ppm
									TWA: 470 mg/m ³
									STEL: 1410 mg/m ³
									STEL: 30 mg/m ³
									STEL: 450 ppm
Chemical name	Germany	Greece		Hung		Ice	eland	Italy	Latvia
Limestone	-	TWA: 10 mg		TWA: 10	mg/m³		-	-	=
1317-65-3		TWA: 5 mg	/m³						
Propylene glycol	-	-		-			-	-	TWA: 7 mg/m ³
57-55-6									
Chemical name	Lithuania	Netherlands		Poland	Rom	ania	Spain	Sweden	United
									Kingdom
Limestone	-	-		-	TWA: 10	0 mg/m^3	-	-	TWA: 10 mg/m ³
1317-65-3									TWA: 4 mg/m ³
									STEL: 30 mg/m ³
									STEL: 12 mg/m ³
Propylene glycol	TWA: 7 mg/m ³	=	TWA	: 100 mg/m³		•	-	-	TWA: 150 ppm
57-55-6									TWA: 474 mg/m ³
									TWA: 10 mg/m ³
									STEL: 450 ppm
									STEL: 1422
									mg/m³
									STEL: 30 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 20-Jul-2021

thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance liquid

FX HOT PINK

Revision Date: 20-Jul-2021

Odor little or no odor

Odor Threshold No information available

Property Values Remarks/ Method

Density (g/L) 1060 - 1072 None known

Relative Density 1.06 - 1.08

No information available Ha None known Viscosity (cps) No information available None known Solubility(ies) No information available None known Water solubility No information available None known **Evaporation Rate** No information available None known No information available None known Vapor pressure Vapor density No information available None known Wt. % Solids 30 - 40 None known

 Vol. % Solids
 25 - 35
 None known

 Wt. % Volatiles
 60 - 70
 None known

 Vol. % Volatiles
 65 - 75
 None known

 Boiling Point (°C)
 100
 None known

 Freezing Point (°C)
 0
 None known

Melting Point (°C)No information availableNone knownPour PointNo information availableNone knownFlash Point (°C)Not applicableNone known

Flash Point (°C) Not applicable Flammability (solid, gas) No information available

None known Upper flammability limit: No information available None known Lower flammability limit: No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known Partition coefficient No information available None known No information available **Explosive properties** None known **Oxidizing Properties** No information available None known

The information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible MaterialsNo materials to be especially mentioned.

10.6. Hazardous decomposition products

FX HOT PINK

Hazardous Decomposition Products

None under normal conditions of use.

Revision Date: 20-Jul-2021

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation There is no data available for this product.

Eye contactThere is no data available for this product.

Skin contact Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

Ingestion There is no data available for this product.

Acute Toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	
57-55-6			
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)		
5-Chloro-2-methyl-3(2H)-isothiazolo	= 53 mg/kg (Rat)		
ne mixture with			
2-methyl-3(2H)-isothiazolone (3:1)			
55965-84-9			

Skin corrosion/irritation No information available.

Eye damage/irritation No information available.

Sensitization May cause an allergic skin reaction.

Mutagenic Effects No information available.

Carcinogenic effects

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive Effects No information available.

Developmental EffectsNo information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

FX HOT PINK

Revision Date: 20-Jul-2021

Neurological EffectsNo information available.Target organ effectsNo information available.SymptomsNo information available.Aspiration HazardNo information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Propylene glycol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)
		LC50 = 710 mg/L Pimephales	
		promelas (96 h)	
		LC50 = 51600 mg/L Oncorhynchus	
		mykiss (96 h)	
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	

12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Propylene glycol	The substance is not PBT / vPvB PBT assessment
57-55-6	does not apply
1,2-Benzisothiazolin-3-one	The substance is not PBT / vPvB
2634-33-5	
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone	The substance is not PBT / vPvB
(3:1)	
55965-84-9	

FX HOT PINK

12.6. Other adverse effects

Other adverse effects No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 20-Jul-2021

Section 14: TRANSPORT INFORMATION

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number		
Propylene glycol 57-55-6	RG 84		
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65		

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS No - Not all of the components are listed.

FX HOT PINK

DSL: CanadaYes - All components are listed or exempt.

EINECS: European Union

No - Not all of the components are listed.

ENCS
No - Not all of the components are listed.
IECSC
No - Not all of the components are listed.
KECL (Annex 1)
No - Not all of the components are listed.

PICCS
No - Not all of the components are listed.

TSCA: United States
Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Revision Date: 20-Jul-2021

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900

Phone: (203)-708-8900

Issuing Date 11-Sep-2020

Revision Date: 20-Jul-2021

Revision Summary (M)SDS sections updated, 2, 3, 4, 11, 15, 16

Revision Date: 20-Jul-2021

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet
