

Date :

06/04/2018

Product : OPTI-SCULPT[™] - 10°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

Colour Specifications

As	per	attached	Specification	Sheet

Color Tolerance:

Material Specifications

General Description:	Extruded Polycarbonate Film
Substrate:	PC (Polycarbonate)
Thickness:	10.0 mil (.3937" or 9999.98 microns)
Manufactured in:	U.S.A.
Available Sizes:	20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)

 $\Delta E = N/A$



Date :

06/04/2018

Product : OPTI-SCULPT[™] - 10° x 20°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

Colour Specifications

	As per attached Specification Sheet
- Tolerance:	$\Delta E = N/A$

Color Tolerance:

Material Specifications

General Description:	Extruded Polycarbonate Film
Substrate:	PC (Polycarbonate)
Thickness:	10.0 mil (.3937" or 9999.98 microns)
Manufactured in:	U.S.A.
Available Sizes:	20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)



Date :

06/04/2018

Product : OPTI-SCULPT[™] - 10° x 30°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

Colour Specifications

	As per attached Specification Sheet
Color Tolerance:	$\Delta E = N/A$

Material Specifications

General Description:	Extruded Polycarbonate Film
Substrate:	PC (Polycarbonate)
Thickness:	10.0 mil (.3937" or 9999.98 microns)
Manufactured in:	U.S.A.
Available Sizes:	20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)



Date :

06/04/2018

Product : OPTI-SCULPT[™] - 10° x 60°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

Colour Specifications

	As per attached Specification Sheet
Color Tolerance:	$\Delta E = N/A$

Material Specifications

General Description:	Extruded Polycarbonate Film
Substrate:	PC (Polycarbonate)
Thickness:	10.0 mil (.3937" or 9999.98 microns)
Manufactured in:	U.S.A.
Available Sizes:	20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)



Date :

06/04/2018

Product : OPTI-SCULPT[™] - 15° x 35°

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www.rosco.com

Colour Specifications

	As per attached Specification Sheet
Color Tolerance:	$\Delta E = N/A$

Material Specifications

General Description:	Extruded Polycarbonate Film
Substrate:	PC (Polycarbonate)
Thickness:	10.0 mil (.3937" or 9999.98 microns)
Manufactured in:	U.S.A.
Available Sizes:	20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)



Date :

06/04/2018

Product : OPTI-SCULPT[™] - 40°/60° Reversible

This letter shall certify that the listed Rosco product conforms to the specifications as provided below. For further information, contact Rosco Laboratories Inc, at (800) 767-2669 or on the web at: www. rosco.com

Colour Specifications

	As per attached Specification Sheet
Color Tolerance:	$\Delta E = N/A$

Material Specifications

General Description:	Extruded Polycarbonate Film
Substrate:	PC (Polycarbonate)
Thickness:	10.0 mil (.3937" or 9999.98 microns)
Manufactured in:	U.S.A.
Available Sizes:	20 in. x 24 in. sheets (50cm x 60cm) 20 in. x 40 in. sheets (50cm x 100cm)