

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 20-Jul-2021 Revision Date: 20-Jul-2021 Revision Number: 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ROSCO VIVID FX ELECTRIC GREEN RF6261 (3000009, 3000215, 3001023)

Alternate Product Code XY6599

Product Class Water thinned paint

ColorGreenRecommended usePaint

Restrictions on use No information available

Roscolab Limited Blanchard Works

Kangley Bridge Road

Sydenham

London SE26 5AQ

Phone: +44 (0) 20 8659 2300 (Monday - Friday, 9 am to 5 pm GMT)

Email: info.emea@rosco.com

#### Rosco Laboratories Inc.

52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 www.rosco.com

#### **Emergency Telephone**

CHEMTREC: +1-703-741-5970

CHEMTREC (United Kingdom Local Number): +44-870-8200418

# Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2 - (H319)
Chronic aquatic toxicity	Category 3 - (H412)

#### 2.2. Label elements

#### **Product Identifier**

#### **FX ELECTRIC GREEN**

Revision Date: 20-Jul-2021



Signal word
Warning

#### **Hazard statements**

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

EUH208 - Contains (1,2-Benzisothiazolin-3-one, 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)). May produce an allergic reaction

# Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other hazards

General Hazards No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
C.I. Pigment Green 7	215-524-7	1328-53-6	>=1 - <5		Not available
Propylene glycol	200-338-0	57-55-6	>=1 - <5	Not available	01-2119456809-23-02 24
Alcohols, C9-11, ethoxylated	-	68439-46-3	>=1 - <5	Acute Tox 4 (H302) Eye Dam. 1 (H318) Aquatic Acute Cat 2 (H401)	Not available
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	Acute Tox 4 (H302) Acute Tox 2 (H330) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2	Not available

**FX ELECTRIC GREEN** 

				(H411)	
5-Chloro-2-methyl-3(2H)-isothi azolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)	-	55965-84-9	>=0.001 - <0.005	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H330) Skin Corr. 1C (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

# **Section 4: FIRST AID MEASURES**

4.1. Description of first aid measures

Description of first aid measures

General Advice No hazards which require special first aid measures.

**Eye Contact**Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Revision Date: 20-Jul-2021

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment

needed

Notes To Physician Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

**FX ELECTRIC GREEN** 

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity to static discharge No

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

suit

# Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapors through sewers, ventilation

systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

# Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 20-Jul-2021

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

**FX ELECTRIC GREEN** 

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Revision Date: 20-Jul-2021

Risk Management Methods (RMM) Not Applicable.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

Chemical name	European Union	Belgium	1	Bulga	ria	Cy	/prus		France	Ireland
Propylene glycol 57-55-6	-	-		-			1		-	TWA: 10 mg/m³ TWA: 150 ppm TWA: 470 mg/m³ STEL: 1410 mg/m³ STEL: 30 mg/m³ STEL: 450 ppm
Chemical name	Germany	Greece		Hunga	ary	Ice	eland		Italy	Latvia
Propylene glycol 57-55-6	-	-		-			-		-	TWA: 7 mg/m <sup>3</sup>
Chemical name	Lithuania	Netherlands	P	oland	Rom	ania	Spain		Sweden	United Kingdom
C.I. Pigment Green 7 1328-53-6	-	-		-	-	-	TWA: 0.1 n	ng/m³	-	-
Propylene glycol 57-55-6	TWA: 7 mg/m³	-	TWA:	100 mg/m <sup>3</sup>	_	-	,		1	TWA: 150 ppm TWA: 474 mg/m³ TWA: 10 mg/m³ STEL: 450 ppm STEL: 1422 mg/m³ STEL: 30 mg/m³

#### 8.2. Exposure controls

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

**Eye Protection** Safety glasses with side-shields.

**Skin Protection** Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

thoroughly after handling.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Appearance liquid

**FX ELECTRIC GREEN** 

Revision Date: 20-Jul-2021

**Odor** little or no odor

Odor Threshold No information available

Property Values Remarks/ Method None known

**Density (g/L)**1108 - 112 **Relative Density**1.11 - 1.13

pH No information available None known Viscosity (cps) No information available None known

Solubility(ies) No information available None known Water solubility No information available None known **Evaporation Rate** No information available None known Vapor pressure No information available None known Vapor density No information available None known Wt. % Solids 40 - 50 None known 35 - 45 Vol. % Solids None known 50 - 60 Wt. % Volatiles None known 55 - 65 Vol. % Volatiles None known

Boiling Point (°C)100None knownFreezing Point (°C)0None knownMelting Point (°C)No information availableNone known

Pour Point (°C)

No information available

None known
Flash Point (°C)

No applicable

None known
No applicable

None known

Flammability (solid, gas) No information available None known Upper flammability limit: No information available None known Lower flammability limit: No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available Partition coefficient No information available

Decomposition Temperature (°C)No information availableNone knownPartition coefficientNo information availableNone knownExplosive propertiesNo information availableNone knownOxidizing PropertiesNo information availableNone known

# Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

**Reactivity** Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

10.6. Hazardous decomposition products

**FX ELECTRIC GREEN** 

# **Hazardous Decomposition Products**

None under normal conditions of use.

Revision Date: 20-Jul-2021

# Section 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

#### **Product Information**

**Inhalation** There is no data available for this product.

**Eye contact**There is no data available for this product.

Skin contact Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

**Ingestion** There is no data available for this product.

## **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
C.I. Pigment Green 7 1328-53-6	> 5000 mg/kg (Rat)		
Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg ( Rabbit )	
Alcohols, C9-11, ethoxylated 68439-46-3	= 1400 mg/kg(Rat) = 1378 mg/kg(Rat)	> 2 g/kg(Rabbit)	
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg(Rat)		
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	= 53 mg/kg ( Rat )		

**Skin corrosion/irritation**No information available.

Eye damage/irritation No information available.

**Sensitization** May cause an allergic skin reaction.

Mutagenic Effects No information available.

## Carcinogenic effects

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive Effects No information available.

**FX ELECTRIC GREEN** 

Revision Date: 20-Jul-2021

Developmental EffectsNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.Neurological EffectsNo information available.Target organ effectsNo information available.SymptomsNo information available.Aspiration HazardNo information available.

# Section 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

Harmful to aquatic life with long lasting effects

Chemical name	Algae/aquatic plants	Fish	Crustacea
C.I. Pigment Green 7		LC50: =752.4mg/L (96h, Lepomis	EC50: >500mg/L (24h, Daphnia
1328-53-6		macrochirus)	magna Straus)
Propylene glycol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)
		LC50 = 710 mg/L Pimephales	
		promelas (96 h)	
		LC50 = 51600 mg/L Oncorhynchus	
		mykiss (96 h)	
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	

#### 12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

**Bioaccumulation**No information available.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	

#### 12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	

**FX ELECTRIC GREEN** 

	PBT and vPvB assessment
C.I. Pigment Green 7 1328-53-6	The substance is not PBT / vPvB
Propylene glycol 57-55-6	The substance is not PBT / vPvB PBT assessment does not apply
Alcohols, C9-11, ethoxylated 68439-46-3	The substance is not PBT / vPvB
1,2-Benzisothiazolin-3-one 2634-33-5	The substance is not PBT / vPvB
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	The substance is not PBT / vPvB

#### 12.6. Other adverse effects

Other adverse effects No information available

# Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 20-Jul-2021

# **Section 14: TRANSPORT INFORMATION**

IMDG Not regulated

RID Not regulated

ADR\_ Not regulated

ADN Not regulated

<u>IATA</u> Not regulated

# **Section 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number

#### **FX ELECTRIC GREEN**

Revision Date: 20-Jul-2021

Propylene glycol 57-55-6	RG 84
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65

## **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### **International Inventories**

AICS

DSL: Canada

Yes - All components are listed or exempt.

EINECS: European Union

No - Not all of the components are listed.

ENCS

No - Not all of the components are listed.

No - Not all of the components are listed.

IECSC

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

**TSCA: United States** Yes - All components are listed or exempt.

## Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

## 15.2. Chemical safety assessment

## **Chemical Safety Report**

No information available

# **Section 16: OTHER INFORMATION**

## Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H400 - Very toxic to aquatic life

H401 - Toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

**FX ELECTRIC GREEN** 

Prepared By Product Stewardship Department

Rosco Laboratories Inc. 52 Harbor View Avenue Stamford, CT 06902, USA Phone: (203)-708-8900 Revision Date: 20-Jul-2021

Issuing Date 20-Jul-2021

Revision Date: 20-Jul-2021

Revision Summary Initial Release

#### Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**